

NEEVA






[www.armstrong.eu](http://www.armstrong.eu)

**Armstrong**<sup>®</sup>

# NEEVA



## NEEVA

	BOARD	TEGULAR	MICROLOOK
			
	Prelude XL <sup>2</sup> /TLX / CR 24 mm Prelude Sixty <sup>2</sup>	Prelude XL <sup>2</sup> /TLX / CR 24 mm Prelude Sixty <sup>2</sup>	Prelude XL <sup>2</sup> /TL 15 mm Interlude XL <sup>2</sup> 15 mm Silhouette XL <sup>2</sup> 15 mm
			
<b>Tiles NEEVA 15 mm</b>			
600 x 600 x 15 mm	2691 M		
600 x 1200 x 15 mm	2692 M		
<b>Tiles NEEVA 18 mm</b>			
600 x 600 x 18 mm	2404 M	2414 M	2423 M
625 x 625 x 18 mm	2404 D		
675 x 675 x 18 mm	2409 M		
600 x 1200 x 18 mm	2405 M	2415 M	2424 M
625 x 1250 x 18 mm	2405 D		
1200 x 1200 x 18 mm	2406 M	2416 M	
<b>Planks NEEVA 18 mm</b>			
300 x 1800 x 18 mm	2408 M		
600 x 1800 x 18 mm	2407 M		
1350 x 600 x 18 mm	2410 M		
1350 x 675 x 18 mm	2411 M		




COLORTONE NEEVA : Black (BK), Cement (CG), Navy (NY), Metal (MT).  
Please refer to page 69.



EN ISO 354 & EN ISO 11654

$\alpha_w$	NRC	125	250	500	1000	2000	4000	Hz	$\alpha_p$
• NEEVA Board 15 mm									
<b>1.00</b>	0.95	0.40	0.90	1.00	0.90	1.00	1.00		$\alpha_p$
• NEEVA Board 18 mm									
<b>1.00</b>	0.95	0.40	0.85	1.00	0.90	1.00	0.95		$\alpha_p$
• NEEVA Tegular, MicroLook 18 mm									
<b>0.90</b>	0.85	0.40	0.75	0.85	0.85	0.95	0.95		$\alpha_p$

**Sound Absorption Class = A**



EN 20140-9 & EN 717-1

$D_{ncw}$
<b>27 dB</b> (Tegular, MicroLook 18mm)
<b>24 dB</b> (Board 18 mm)



EN ISO 140-3 & EN ISO 717-1

$R_w$
<b>7 dB</b> (Board 15 mm)



EEA	Euroclass A1 (White)
EN 13501-1	

RUS	KM1 (G1, V1, D1, T1)
FZ 123	



EN 12667 & ISO 8301

$\lambda = 0.033$ W/m K
-------------------------



95 % RH
---------



Board (15 mm) $\approx$ 1.20 kg/m <sup>2</sup>
Board (18 mm) $\approx$ 1.26 kg/m <sup>2</sup>
Tegular & MicroLook (18 mm) $\approx$ 2.52 kg/m <sup>2</sup>

Please contact the Armstrong Technical Sales group for further details.

[www.armstrong.eu](http://www.armstrong.eu)